

## NOTICE OF ADOPTED ORDINANCE

Pursuant to Section 7-3 of the Town of Castle Rock Home Rule Charter, notice is hereby given that the Town Council did adopt the following named and described Ordinance during its Regular Meeting on December 1, 2015 which commenced at 6:00 P.M. at the Castle Rock Town Council Chambers, 100 N. Wilcox St., Castle Rock, CO 80104

Title of Adopted Ordinance: Ordinance No. 2015-50

Ordinance: An Ordinance Amending Section 13.06.020 Of The Castle Rock Municipal Code Adopting By Reference As A Primary Code The 2009 Manual Of Cross-Connection Control

### Subject Matter Summary:

The purpose of this ordinance is to adopt updates to the cross connection control policies, including testing requirements alignment of Town policies and procedures current development and regulatory requirements.

Said ordinance adopts, by reference, as primary code, (as defined in C.R.S. 31-16-202 and 31-16-203) of the Town of Castle Rock, the following Code and Manual:

The Manual of Cross Connection Control (Tenth Edition)

Published by:

Foundation for Cross Connection Control and Hydraulic Research  
University of Southern California  
University Park  
Los Angeles, California 80090  
2009

The entire text of the proposed ordinance is contained herein, and copies are available for public inspection at the office of the Town Clerk, 100 North Wilcox, Castle Rock, Colorado 80104 during normal working hours between 8:00 a.m. and 5:00 p.m., Monday through Friday, excluding holidays

Publication Date: December 10, 2015

**ORDINANCE NO. 2015-50**

**AN ORDINANCE AMENDING SECTION 13.06.020 OF THE CASTLE ROCK  
MUNICIPAL CODE ADOPTING BY REFERENCE AS A PRIMARY CODE  
THE 2009 MANUAL OF CROSS-CONNECTION CONTROL**

**WHEREAS**, the Town of Castle Rock is a home rule municipal corporation and the Town Council is empowered to adopt such ordinances as are necessary and convenient to protect the health, safety and welfare of the community; and

**WHEREAS**, the Town Council has determined the necessity of adopting regulations and standards to govern in a safe, fair and equitable manner the construction of buildings and structures in the Town; and

**WHEREAS**, the codes and standards are established and periodically updated to serve as the most practical basis for regulating construction; and

**WHEREAS**, public hearings have been held before the Town Council and the Ordinance has been properly noticed in accordance with the Town regulations and §31-16-203, C.R.S.

**NOW, THEREFORE, IT IS ORDAINED BY THE TOWN COUNCIL OF THE TOWN OF CASTLE ROCK, COLORADO:**

**Section 1. Amendment.** Section 13.06.020.A.2 of the Castle Rock Municipal Code is amended in its entirety to read as follows:

2. The Manual of Cross-Connection Control, tenth edition, published in 2009 by the Foundation for Cross-Connection Control and Hydraulic Research, University of Southern California, University Park, Los Angeles, California, 80090.

**Section 2. Amendment.** Sections 13.06.070.C of the Castle Rock Municipal Code is amended in its entirety to read as follows:

C. Customers with single-family residential backflow prevention assemblies are encouraged to test the assembly annually at their expense and in accordance with the manufacturer requirements. All other customers shall test their backflow prevention assemblies at their expense and according to manufacturer requirements at least annually, or more often as determined by the Utilities Department.

**Section 3. Amendment.** Section 13.06.070.E of the Castle Rock Municipal Code is amended in its entirety to read as follows:

E. Single-family residential service connections may be subject to more frequent risk assessment evaluations, to include the probability of the occurrence of a physical connection between a potable water supply and a nonpotable substance; the occurrence of backflow conditions, including backsiphonage and backpressure; the total failure of the backflow prevention assembly used to isolate the cross-connection; and the probability that a nonpotable substance is present and will have an adverse effect on the water system or user. As determined through such risk assessment, the Utilities Department may require additional testing.


**Section 4. Severability.** If any clause, sentence, paragraph, or part of this ordinance or the application thereof to any person or circumstances shall for any reason be adjudged by a court of competent jurisdiction invalid, such judgment shall not affect the remaining provisions of this ordinance.

**Section 5. Safety Clause.** The Town Council finds and declares that this ordinance is promulgated and adopted for the public health, safety and welfare and this ordinance bears a rational relation to the legislative object sought to be obtained.


**APPROVED ON FIRST READING** this 3<sup>rd</sup> day of November, 2015 by a vote of 5 for and 0 against, after publication in compliance with Section 2.02.100.C of the Castle Rock Municipal Code; and

**PASSED, APPROVED AND ADOPTED ON SECOND AND FINAL READING** this 1st day of December, 2015, by the Town Council of the Town of Castle Rock by a vote of 7 for and 0 against.


ATTEST:

  
Sally A. Misare, Town Clerk

TOWN OF CASTLE ROCK

  
Paul Donahue, Mayor

Approved as to form:

  
Robert J. Slentz, Town Attorney

Approved as to content:

  
Mark Marlowe, Utilities Director